

Effect of feeding fermented soybean meal on broiler chickens' performance: A meta-analysis


Supplementary materials 1: Forest plots of the meta-analysis




Supplementary figure 1. Forest plot of subgroup meta-analysis of the effect of fermented-SBM on final body weight of broiler chickens based on rearing periods




Supplementary figure 2. Forest plot of subgroup meta-analysis based on inoculant used for fermentation of fermented-SBM on final body weight of broiler chickens




Supplementary figure 3. Forest plot of subgroup meta-analysis of the effect of fermented-SBM on average daily gain of broiler chickens based on rearing periods




Supplementary figure 4. Forest plot of subgroup meta-analysis based on inoculant used for fermentation of fermented-SBM on average daily gain of broiler chickens




Supplementary figure 5. Forest plot of subgroup meta-analysis of the effect of fermented-SBM on feed intake of broiler chickens based on rearing periods



Supplementary figure 6. Forest plot of subgroup meta-analysis based on inoculant used for fermentation of fermented-SBM on feed intake of broiler chickens



Supplementary figure 7. Forest plot of subgroup meta-analysis of the effect of fermented-SBM on feed conversion ratio of broiler chickens based on rearing periods



Supplementary figure 8. Forest plot of subgroup meta-analysis based on inoculant used for fermentation of fermented-SBM on feed conversion ratio of broiler chickens