

Supplementary material

Title:

Analysis of excreta bacterial community after forced-molting of aged laying hens

Authors Information

Gi Ppeum *Han*^{1,a}, Kyu-Chan *Lee*^{2,a}, Hwan Ku *Kang*³, Han Na *Oh*², Woo Jun *Sul*^{2,*}, Dong Yong *Kil*^{1,*}

*Corresponding author: Dong Yong Kil

Tel: +82-31-670-3028, E-mail: dongyong@cau.ac.kr

Woo Jun Sul

Tel: +82-31-670-4707, E-mail: sulwj@cau.ac.kr

¹Department of Animal Science and Technology, Chung-Ang University, Anseong-si, Gyeonggi-do 17546, Republic of Korea

²Department of Systems Biotechnology, Chung-Ang University, Anseong-si, Gyeonggi-do 17546, Republic of Korea

³Poultry Research Institute, National Institute of Animal Science, Rural Development Administration, Pyeongchang-gun, Gwangwon-do 25342, Republic of Korea

Supplementary Table S1. The pathogen sequences used to construct the phylogenetic tree

| GenBank nucleotide | Species (strain) | Disease in poultry |
|--------------------|--------------------------------|--|
| X60404.2 | <i>Aeromonas hydrophila</i> | Food-borne pathogen |
| AJ277699.1 | <i>Alcaligenes faecalis</i> | Respiratory disease |
| MG708176.1 | <i>Bacillus cereus</i> | Food-poisoning |
| AM042699.1 | <i>Campylobacter coli</i> | Food-borne pathogen |
| L14630.1 | <i>Campylobacter jejuni</i> | Food-borne pathogen |
| AB910734.1 | <i>Clostridium perfringens</i> | Necrotic enteritis |
| AY513502.1 | <i>Escherichia coli</i> | Food-borne pathogen |
| AJ515512.1 | <i>Listeria monocytogenes</i> | Food-borne pathogen |
| LN681564.1 | <i>Pseudomonas aeruginosa</i> | Opportunistic pathogen that cause diarrhea, dehydration, and death |
| U70977.1 | <i>Pseudomonas putida</i> | Food spoilage bacteria |
| EU014687.1 | <i>Salmonella enterica</i> | Salmonellosis |
| AF057360.1 | <i>Salmonella gallinarum</i> | Fowl typhoid |
| X80681.1 | <i>Salmonella typhimurium</i> | Salmonellosis |
| L37597.1 | <i>Staphylococcus aureus</i> | Food-poisoning |

